

HOPKINS COUNTY PRECINCT #1

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1100		5.7	1.1	0.9		7.7	2	METAL	16 X 21
	1100								CULVERT	14 X 22
	1102		2.156				2.156	1		
	1103	1	2.61				3.61	3		
	1104	0.955	2.136				3.091	3	CONCRETE	16 X 55
	1106		0.816	1	0.549		2.365	2		
	1107		1.683				1.683	2	CONCRETE	20 X 16
	1108		0.553				0.553	2		
	1109		0.43	1.429	1.297		3.156	1	CONCRETE	13 X 53
	1110		1	0.996			1.996	3		
	1111		1.228				1.228	3		
2023	1112	reclaim	2.509	1			3.509	2		
2023	1113	reclaim	0.717				0.717	2		
	1114		1.088	0.371			1.459	2		
	1115		0.8		0.309		1.109	2		
2023	1116	reclaim - 1 mile	6.915	1.74	0.177		8.832	3		
	1117		1.117				1.117	2		
	1118		0.931	0.39			1.321	2		
	1119		1.581				1.581	2		
	1120		2.607				2.607	3	CONCRETE	20 X 62
	1122		0.4	0.7	0.6		1.7	1		
	1123		2.939				2.939			
2019	1124				1.671		1.671		STATE CEMENT	26 X 16
	1125			1.05	1.3		2.35	1	CONCRETE	17 X 40
	1126		2.27				2.27	1		
	1127		3.051				3.051	1		
	1130			3.59			3.59	1		
	1131		4.6	1.438			6.038	3		
	1134		1.14				1.14	1		
	1135		2.283				2.283	2		
	1136		1.019	1	0.48		2.499	2	CULVERT	14 X 16
2023	1137		1.448				1.448	2	CONCRETE	20 x 30
2023	1138				1	2.957	3.957	3	CONCRETE	16 X 56
							0		ST/CMT	15'6" X 54

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1139			0.306	0.78		1.086	1	CULVERT	9 X 13
	1140			0.172			0.172	2		
	1142		0.434	0.753			1.177	1		
2023	1143	reclaim - 2 miles		0.27		2.078	2.348	4		
	1144		2	0.306			2.306	4		
	1145		1.229				1.229	3		
	1146		0.99		2.993		3.983	1	CONCERT	16 X 40
							0		ST/CMT	17 X 42
	1147				0.304		0.304	1		
	1148			0.289			0.289	1		
	1149		1.7		1.182		2.882	2	TANK CAR	8 FT
	1150			0.158			0.158	1		
	1151		1.619		0.897		2.516	2		
2022	1152		1.726	0.132	1.767		3.625	1	CONCRETE (TxDOT)	30 X 75
							0		CONCRETE	18 x 48
	1153		1.129				1.129	2		
	1154		1.087		0.527		1.614	3	ST/CMT	16X68
2023	1155	reclaim - 2 miles	1.75		0.562		2.312	2	ST/CMT	20X30
	1156		0.12		1.21		1.33	1		
2023	1157		1.716	3.137			4.853	1	CONCRETE	27 X40
	1158		0.87	0.67			1.54	1		
	1159		2.32	0.27	0.39		2.98	1		
	1160		0.982				0.982	2		
	1161		1.099				1.099	3		
	1162		0.495				0.495	3		
	1163		3.789	0.288			4.077	3	CONCRETE	27 X 62
	1164		0.44	0.649	1.579		2.668	2	METAL	18 X 24
	1165		2.577	0.4	0.54		3.517	2	CULVERT	18 X 16
	1166		0.849				0.849	1		
	1167		0.406				0.406	2		
	1168		0.3	0.48	0.178		0.958	3	CULVERT	14 X 12
	1169		0.503		0.5		1.003	2		
	1170		1.929				1.929	2		
	1171		1.97		0.857		2.827	2		
	1172		1.035				1.035	2		
	1173		0.7	0.718			1.418	3	ST/CMT	16 x 18
2022	1173						0		CONCRETE	20 X 30
	1174		3.344	0.438	0.356		4.138	1	CONCRETE	18 X 20

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	1175		1		0.043		1.043	3		
	1176		0.217	0.848			1.065	3		
	1177		1.685				1.685	4		
2023	1178	0.558		0.472	0.862		1.892	3	CONCRT	20 x 41
	1179		1.919				1.919	2		
2023	1180		0.1	0.771	0.182		1.053	1	CONCRT (TxDOT)	30 X 75
	1181		1.734				1.734	3		
	1182			0.426			0.426	1		
	1183		1.85				1.85	2		
	1184		0.406				0.406	2		
	1185		1.96	0.53	0.475		2.965	1		
	1186			0.942	2.48		3.422	1	CONCRT	22 x 31
	1187		1.33		0.322		1.652	3		
	1188		0.408				0.408	3		
2023	1189			1.241			1.241	2		
2003	1190		1	0.344			1.344	2		
	1191		0.21				0.21	1		
	1192		0.121	0.2			0.321	1		
	1193		0.7	0.47	0.75		1.92	1		
	1194		1.273	0.037	1.038		2.348	1		
	1195		0.8	1.235			2.035	1		
	1196		3.263				3.263	2		
	1197		1.076				1.076	2		
	1198		0.639	0.187			0.826	2		
	1199		0.527				0.527	3		
	1200		0.366				0.366	3		
	1201			0.174			0.174	1		
	1203		0.178				0.178			
	1209			0.487			0.487	3		
	1211		0.748				0.748	3		
	1212			0.297			0.297	2		
	1213		0.36				0.36	3		
	1214			0.542			0.542	2		
	1216			0.223			0.223	1		
	1217			0.366			0.366	3		
1996	1218		0.944				0.944	3		
	1219			0.288			0.288	1		
	1220			0.455			0.455	1		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
1992	1221			0.214			0.214	1		
	1222		0.413				0.413			
	1436		0.999				0.999	1		
	1438				1.139		1.139	1		
	1439		3.622				3.622	2		
	1440		1.157				1.157	1	CONCRT	27 x 79
	1441		1.295	0.146	1.054		2.495	1		
	1442		3.081				3.081	1	CULVERT	
	1443		1.776				1.776	2		
	1444		2.706				2.706	2	CONCRT	18 x 27
	1445		1.696				1.696	2		
	1455			0.158			0.158	1		
	1469		0.323				0.323	2		
	1739		0.082				0.082			
							0			
	Briarwood Street		0.499				0.499	3		
	Briarwood Circle		0.18				0.18	3		
	Briarwood Lane		0.316				0.316	3		
	Briarwood Place		0.234				0.234	3		
	Briarwood Trail		0.75				0.75			
	Briarwood Court		0.06				0.06	3		
2/8/2010	Katie Ridge		0.514				0.514	3		
2/8/2010	Conner Place		0.064				0.064	3		
2/8/2010	Kylie Court	0.47					0.47	3		
2/8/2010	Cole Trail		0.059				0.059	3		
	total mileage:	2.983	139.475	36.293	31.25	5.035	215.036			

Updated 8/28/2023


 Approved by Commissioner Mickey Barker

HOPKINS COUNTY PRECINCT #2

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2174		3.039				3.039	3		
	2299		0.379				0.379			
	2300		2.159				2.159	3		
	2301		5.102				5.102	2		
	2302		0.794				0.794	3		
	2303		0.569				0.569	3		
	2304		1.335				1.335	3		
	2305		0.441				0.441	3		
	2306			0.261			0.261	3		
	2308		2.796				2.796	4		
	2310	WEST OF HWY 69	3.22				3.22	2	CEMENT	20 X 30
	2310		6.864				6.864			
1999	2313				0.434		0.434	3		
	2314		0.158		1		1.158	3		
	2315		1.076				1.076	5		
	2316		2.721	1.1			3.821	5		
	2317				0.709		0.709	4		
	2318		0.628				0.628	3		
	2319		2.07				2.07	3		
	2320		2.653				2.653	3		
	2321		2.021				2.021	3		
	2322		4.053				4.053	3		
	2322	WEST	0.763				0.763			
	2323				0.519		0.519	2		
	2324		4.2		1.163		5.363	3		
	2325		1.666				1.666	3		
	2326		1.12				1.12	3		
	2327		0.035		0.45		0.485	3		
	2328			1.787			1.787	3		
	2329		1.895				1.895	3		
	2330		1.417				1.417	3		
	2331		3.224				3.224	3		
	2332		1.968				1.968	3		
	2333		5.241				5.241	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2335		0.083		2		2.083	3		
	2336		3.08				3.08	2		
	2337		0.701				0.701	3		
	2339		0.825				0.825			
	2339 EAST		0.261				0.261	3		
	2341		2.441				2.441	3		
	2345		0.469				0.469	3		
	2346		3.768				3.768			
	2346 SOUTH of 2333				2.908		2.908	2		
	2348		1.086				1.086	3		
	2375		1.803				1.803	3		
	2376		0.743				0.743			
	2376 EAST of HWY 3019				1.217		1.217	3		
	2377		0.71				0.71	3		
	2379		2.045				2.045	3		
	2381 WEST		3.278				3.278	3		
	2381 EAST		0.323				0.323			
	2382		1.53				1.53	3		
	2383		3.222				3.222	4		
	2384		0.624				0.624	4		
	2386		2.445				2.445	3		
	2387		0.714				0.714	3		
	2388		1.201				1.201	4		
	2389				0.661		0.661	3		
	2389 NORTH of HWY 11		1.759				1.759			
	2390		4.809				4.809	4		
	2391 NORTH of HWY 11		1.294				1.294			
	2391		1.458				1.458	4		
	2392		0.908				0.908	4		
	2393		3.434				3.434	4		
	2394		0.362				0.362	4		
	2395		1.006				1.006	3		
	2396		0.598				0.598	3		
	2397		0.882				0.882	3		
	2398		0.388				0.388	3		
	2399		1.9		0.091		1.991	3		
	2400		2.858				2.858	4		
	2401 NORTH of HWY 11		0.367				0.367			

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2401	SOUTH of HWY 11	0.537				0.537	4		
	2402		2.029				2.029	3		
	2403	NORTH of HWY 11	0.427				0.427			
	2403	SOUTH of HWY 11	0.844				0.844			
	2403	SOUTH of CR 2403	2.583				2.583			
	2404		0.048		0.5		0.548	3		
	2405		0.612				0.612	3		
	2406				0.429		0.429	3		
	2407		1.734				1.734	3		
	2408		4.528				4.528	4		
	2409			0.914			0.914	3		
	2410		2.81				2.81	4	CEMENT	6 X 20
	2412		0.55				0.55	3		
	2413		1.194				1.194	3		
	2414		0.495	1			1.495	3		
	2415		5.2	0.161			5.361	3		
	2416	NORTH of RAILROAD		0.241			0.241			
	2416	SOUTH of RAILROAD		0.123			0.123	3		
	2417		0.394				0.394	3		
	2418		0.186				0.186	3		
	2419		0.138				0.138	3		
	2420		1.724				1.724	3	CEMENT	60 x 30
	2421		2.709				2.709	3		
	2422				1.15		1.15	3		
	2423		1.574				1.574	3		
	2424		0.407				0.407	3		
	2425			2.879			2.879	3		
	2426		3.909				3.909	3		
	2427		0.989				0.989	3		
	2428		1.249	2			3.249	3		
	2429		0.76				0.76	3		
	2430		0.397				0.397	3		
	2431		3.139				3.139	3		
	2433		0.68				0.68	3		
	2434		0.35				0.35	3		
	2435		1.65				1.65	3		
	2436		4.5				4.5	3		30 x 24
	2437		2.45				2.45	3		


YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	2439		1.53				1.53	3		
	2446				0.587		0.587	3		
	2447		0.64				0.64	3		
1992	2450		0.429				0.429	3		
	2452		0.251				0.251	3		
	2453		0.212				0.212	3		
	2454		0.101				0.101	3		
	2458		0.109				0.109	3		
	2460		0.417				0.417	3		
	2461				0.296		0.296	3		
	2463				0.21		0.21	3		
	2464		0.25				0.25	3		
	2465		2.11				2.11	3		
	2466			0.303			0.303	3		
	2467				0.313		0.313	3		
1995	2468			0.32			0.32	3		
	2470				0.209		0.209	3		
	2471		0.245				0.245	3		
	2472				0.14		0.14	3		
	2473		1.84				1.84	3		
	2474			0.68			0.68	3		
	Spring Creek Circle		0.569				0.569			
	Spring Creek Trail		0.116				0.116			
	Spring Creek Drive		0.07				0.07			
2015	Dolly Road		0.346				0.346	3		
2015	Ely Drive		0.72				0.72	3		
2015	Shawn Drive		0.47				0.47	3		
2015	Katrina Drive		0.217				0.217	3		
2015	Coyote Creek		0.289				0.289	3		
2015	Wylie Drive		0.8				0.8	3		
	TOTALS		179.509	11.769	14.986	0	206.264			

2004 David Owens Subdivision

2015 Honey Suckle Creek Estates Phase III Subdivision

Updated 8/28/2023

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE



Approved by Commissioner Greg Anglin

HOPKINS COUNTY PRECINCT #3

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT										
YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3310		0.5	1		2.603	4.103	3	CONCRETE	30 X 14
	3311		1.127				1.127	5		
	3312		0.782				0.782	3		
	3334		0.649				0.649	2		
	3338		0.808				0.808	3		
	3340		0.9	0.254			1.154	2		
N	3341		1.183				1.183	3		
S	3341		1.541				1.541	5		
	3342		2.1	0.457	0.9		3.457	3		
	3343		0.294				0.294	3		
	3344		1.7	1.811			3.511	4		
	3345		0.629				0.629	3		
	3349			0.711			0.711	2		
	3350		2.131				2.131	2		
	3351		1.1	0.205	0.2		1.505	5		
	3352		0.707				0.707	2		
	3353				0.951		0.951	1		
	3354			0.905			0.905	2		
	3355		2.598				2.598	4		
	3356		0.262				0.262	2		
	3357		2.111				2.111	5		
	3358		0.306				0.306	3		
	3359		3.654				3.654	5		
	3360		0.506				0.506	2		
	3362		1.142				1.142	2		
	3363			0.419			0.419			
	3364		0.984				0.984	3		
	3365		0.557				0.557	3		
	3366		0.61				0.61	5		
1993	3367		1.715				1.715	5		
	3368					0.849	0.849	2		
	3369		0.913		0.1		1.013	3		
	3370		0.418				0.418	2		
	3371		0.9	0.2	0.867		1.967	3		
	3372					3.437	3.437	3	STEEL	10 X 8
	3373		0.7	0.705			1.405	2		


YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3374		0.5		0.211		0.711	2		
	3378					0.318	0.318	3		
	3380		0.2	0.3	1.219		1.719	2		
	3385			0.382		5.9	6.282	2		
	3425		0.079				0.079			
	3456		0.1	0.398			0.498	1		
	3462		0.18				0.18	1		
	3500		0.219				0.219	FAIR		
	3501		0.435				0.435	3		
	3502		2.357				2.357	3		
	3503		0.1	0.611			0.711	3		
	3504		4	1.15			5.15	4	STEEL	22 X 50
	3505		0.35				0.35	4		
	3506		1.661				1.661	4		
	3507		1.067	0.357			1.424	4		
	3509		0.477				0.477	4		
	3510			1.09			1.09	3		
	3511		2.5	0.303			2.803	4		
	3512		3.5	0.224			3.724	3		
	3513		1.5	0.837			2.337	2		
	3514		0.2	0.63			0.83	3		
1999	3515		0.37				0.37	4		
	3516		0.482				0.482	3		
	3517		0.596				0.596	4		
	3518		3	1.26			4.26	5	ST/CMT	20 X 80
	3519		0.898				0.898	3		
	3520		2.1	2.9		1.93	6.93	3		
	3521		0.739				0.739	2		
	3522		0.462				0.462	4		
	3523			0.4		0.951	1.351	4		
	3524		3.7	1.474			5.174	3		
	3525		0.898			2	2.898	3		
	3526		0.394				0.394	2		
	3527		0.217				0.217	2		
	3528		3.782				3.782	3		
	3529 NORTH		0.698				0.698	4		
	3529 SOUTH		0.292				0.292	3		
	3530			0.3	0.423		0.723	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3531		0.5	0.693			1.193	2		
	3532		2.538				2.538	4		
	3533		1.519				1.519	5		
	3534		0.8	0.229			1.029	5		
	3535		0.627				0.627	3		
	3536		4.142	1.1			5.242	3	ST/CMT	20 X 40
	3537		0.274				0.274	3		
	3538			1.234			1.234	3		
	3539		0.4	0.695			1.095	3		
	3541		0.415				0.415	4		
	3542		4.176				4.176	3		
	3543		1.113				1.113	4		
	3544			1.121			1.121	3		
	3545			4.167			4.167	3		
	3546		2.8	2.837			5.637	3		
	3547			0.221			0.221	3		
	3548			1.012			1.012	3		
	3549			0.567			0.567	3		
	3550 SOUTH		0.093				0.093	3		
	3550 NORTH		0.413				0.413			
	3551				0.443		0.443	1		
	3552		0.864				0.864	5		
	3553				1.524		1.524	1		
	3554		0.7	0.78			1.48	3		
	3555		0.137	0.332			0.469	3		
	3556		0.866				0.866	5		
	3557		0.2		0.1		0.3	2		
	3558		4.693				4.693	4		
	3559			1.486			1.486	3		
	3560			1.397			1.397	3		
	3561		1	2.085			3.085	3		
	3562		5.34				5.34	3		
	3563		2.197				2.197	3		
	3564		1.067				1.067	3		
	3565		0.989				0.989	3		
	3566			0.53		2	2.53	2		
	3567		4.098	0.812			4.91	2		
	3568		1.731				1.731	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3569					1.728	1.728	3		
	3570		0.1	0.323			0.423	2		
	3571			0.269			0.269	2		
	3572			1	1.131		2.131	1	ST/CMT	20 X 40
	3573		0.2		2.056		2.256	1		
	3582		0.627				0.627	2		
	3584		0.322				0.322	3		
	3585		0.5	0.292			0.792	3		
	3593		0.31				0.31	2		
	3594			0.075			0.075	2		
	3595		0.181				0.181	2		
	3596		0.146				0.146			
	3597		0.104				0.104	2		
	3598		0.199				0.199	2		
	3599		0.131				0.131	2		
	3600		0.1		0.079		0.179	3		
	3601		0.07				0.07	3		
	3602		0.305				0.305	3		
	3603					0.374	0.374	3		
	3604		0.365				0.365	3		
	3605		0.716				0.716	3		
	3606		0.292				0.292	5		
	3607		0.227				0.227	2		
	3608		0.277				0.277	3		
	3610		0.055				0.055	3		
	3611			0.5	0.135		0.635	2		
	3617			0.386			0.386	2		
1989	3620					0.362	0.362	2		
	3621		0.202				0.202	5		
	3623		0.383				0.383	3		
	3624		0.163				0.163	2		
	3625		0.131				0.131	3		
	3626			0.103			0.103	2		
	3627			0.353			0.353	2		
	3628			0.393			0.393	3		
	3629			1.225			1.225	3		
	3631		0.677				0.677	3		
	3632		0.563				0.563	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	3633		0.268				0.268	3		
	3634			0.143			0.143	2		
	3635			0.179			0.179	2		
	3636			0.312			0.312	2		
	3637				0.304		0.304	1		
1997	3638			0.253			0.253	2		
	3639		0.436				0.436	3		
1998	3640					1.178	1.178	3		
1998	3641		0.157				0.157	3		
	3642		0.162				0.162	4		OLD TARRANT CEMETERY
	3643			0.683			0.683	2		
	3644		0.456				0.456	3		
	3646		0.442				0.442	3		J.W. LIGHTFOOT
2011	3647			0.537			0.537	3		
	3648	NEW	1.08				1.08	2		
	Kaden Lane		0.209				0.209			
	Jake Lane		0.236				0.236			
2018	Nicklaus St		0.474				0.474	3		
2018	Nelson St		0.826				0.826	3		
2018	Hogan St		0.122				0.122	3		
	TOTALS		127.486	47.607	10.643	23.63	209.366			

Updated 8/28/2023



Approved by Commissioner Wade Bartley

HOPKINS COUNTY PRECINCT #4

ROAD CONDITION SCALE: 1-POOR - 5-EXCELLENT

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4112		1.128				1.128	3		
	4120	E of 275	0.847				0.847	3		
	4120	W of 275	1.307				1.307	3		
	4128		2.8	0.214			3.014	2	STATE CEMENT	
	4129		1.6	0.785	1.5		3.885	2		
	4131		3.162				3.162	3		
	4132		1.73				1.73	2		
	4133		1.6	0.284			1.884	2		
	4488		0.152				0.152	3		
	4508		0.8	0.536			1.336	4		
	4510			0.874			0.874	3		
	4574	EAST of HWY 19		0.747			0.747			
	4574	EAST OF CR 4581	3.299				3.299	2		
	4575		1.6	0.1	0.832		2.532	2	STATE	40 X 16
	4576			0.561			0.561	2		
	4577			0.672			0.672	2		
	4578		1.2	0.531			1.731	2		
	4579			0.1	1.557		1.657	3		
	4580		0.9	0.426			1.326	1		
	4581		1.7	0.9	1.292		3.892	3	WOOD	
	4582		1.244				1.244	4		
	4583		0.9		1.3		2.2	1		
	4586		3.1	0.834			3.934	2		
	4587		0.517				0.517	4		
	4588		1.62				1.62	3	STEEL	
	4589		0.8	0.096			0.896	4		
	4590		0.232				0.232	2		
	4591		1	0.7	0.607		2.307	3		
	4592		1.92				1.92	2		
	4612		1.634				1.634	2		
	4613		0.59				0.59	2		
	4614				0.1		0.1	1		
	4615	NORTH OF HWY 1536	0.678				0.678			
1997	4615	SOUTH of HWY 1536	0.259				0.259	3		
	4616		0.719				0.719	2		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4618			0.148			0.148	2		
	4630			0.1			0.1	1		
	4700		0.7		1.496		2.196	1	STEEL	
	4701		0.414				0.414	2		
	4702		0.5	0.345			0.845	1		
	4703		0.841				0.841	1		
	4704			0.5			0.5	3		
	4705		0.493				0.493	3		
	4706		1.021				1.021	3		
	4707		3.515				3.515	3		
	4708		3.417				3.417	3	STATE CEMENT	
								3	STATE CEMENT	
	4709		0.353				0.353	2		
	4710		0.7	0.516			1.216	2	STATE CEMENT	
	4711 NORTH		1.54				1.54			
	4711 SOUTH		1.742				1.742	3	STATE CEMENT	
	4712 EAST		2.714				2.714	2	STATE CEMENT	40 X 14
	4712 WEST			1.69			1.69		STATE CEMENT	
	4713		0.4	0.1	0.548		1.048	4		
	4714		1.3		1.554		2.854	2	STEEL	28.5 X 16
	4715		0.822				0.822	4		
	4716		1.473				1.473	2		
	4717		0.2	0.4	0.517		1.117	1		
	4718		0.132		0		0.132	1		
	4719		1.9	0.2	0.689		2.789	3	CEMENT	4 X 24
									ST/CMT	52 X 26
	4720			1.9	3.268		5.168	3	STATE CEMENT	26 X 13
	4721			1.0	0.535		1.535	3	WOOD	24 X 16
									STEEL	12 X 14
	4722		0.842				0.842	4		
	4723		0.353				0.353	4		
	4724 NORTH			0.1	0.749		0.849	3		
	4724 SOUTH		4.5	1	0.157		5.657	4		
	4725		2.7	1.774			4.474	2	STATE	30 X 14
	4726		0.879				0.879	3		
	4727		0.186				0.186	1		
	4728		0.5	0.701	0.292		1.493	2		
	4729		0.1	0.86			0.96	2		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4730		0.863				0.863	2		
	4731		0.465				0.465	3		
	4732	EAST of 275	1.403				1.403	3	CULVERTS	3-4X30
	4732	WEST of 275	0.1	0.6	0.628		1.328	2		
	4733		0.2	0.099			0.299	2		
	4734		0.87				0.87	3	STEEL	
	4735		0.815				0.815	4		
	4736		0.678				0.678	4		
	4737		1.38				1.38	3		
	4738		0.9	5.644			6.544	2	ST/CMT	65 X 26
	4739			0.491			0.491	2		
	4740			0.6	0.906		1.506	2		
	4741			0.984			0.984	3	CULVERT	
	4742			0.3	0.398		0.698	3		
	4743		1.234				1.234	3		
	4744		3.1	2.514			5.614	2	STATE CEMENT	30 X 15
	4745			1.136			1.136	2		
	4746			0.187			0.187	1	CULVERTS	14 X 11
	4747		0.301				0.301	3		
	4748		0.456				0.456	3		
	4749		0.3		1.104		1.404	3		
	4750			0.844			0.844	2		
	4751		0.503				0.503	2		
	4752		1.9	1	1.635		4.535	3		
	4753			1.189			1.189	3		
	4754		1.6	0.793			2.393	3		
	4755		1.176				1.176	3		
	4756		0.565				0.565	1		
	4757		0.413				0.413	3		
	4758		0.507				0.507	4		
1996	4759		2.387				2.387	3		
	4760			1.1	2.1	4.526	7.726	3	CEMENT STATE	25 X 14
	4761		2.763				2.763	3		
	4762		2.66				2.66	2		
	4763		2.8	1.388			4.188	3	WOOD	
	4764		1.809				1.809	2	STATE CEMENT	
	4765			0.66			0.66	2		
	4766	NORTH of 71	1	0.614			1.614	4	WOOD	

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4766	SOUTH of 71	2.457				2.457			
	4767		2.351				2.351	3	WOOD	
	4768	SOUTH of 71	1.809				1.809	1	STATE CEMENT	
	4768	NORTH of 71	0.779				0.779	4		
	4769		1.868				1.868	3	STATE CEMENT	
1996	4770		0.267				0.267	2		
	4771		2.642				2.642	2	STATE CEMENT	
	4772		3.967				3.967	2		
	4773			0.228			0.228	2		
	4775		1.196				1.196	2		
	4776		0.188				0.188	2		
	4777		3.518				3.518	3	STATE CEMENT	
	4778		1.11				1.11	3		
	4779	WEST of HWY 19	0.601				0.601			
	4779	SOUTH of CR 4795	0.748				0.748	3		
	4782			0.707			0.707	2		
	4783		0.107				0.107	2		
	4784		0.621				0.621	3		
	4785		0.85				0.85	3		
	4786	SOUTH of Hwy 11	0.072				0.072			
	4787	EAST OF FM 71	0.183				0.183	3		
	4788				0.597		0.597	1		
	4789		0.356				0.356	3		
	4790		0.288				0.288	2		
	4791		0.758				0.758	3		
	4792			0.68			0.68	2		
	4794		0.2	0.143			0.343	2		
1992	4795					0.664	0.664	5		
	4796		0.1		0.06		0.16	1		
	4797		0.199				0.199	2		
	4798		0.5		0.488		0.988	1		
	4799			0.422			0.422	3		
	4800			0.316			0.316	2		
	4801			0.716			0.716	2		
	4802		0.11				0.11	1		
	4803			0.427			0.427	1		
	4804			0.715			0.715	2		
	4805			0.202			0.202	3		

YEAR	COUNTY ROAD NUMBER	MILES OF ASPHALT	MILES OF OIL	MILES OF ROCK	MILES OF DIRT	MILES OF CHIP SEAL	TOTAL MILES	RD CONDITION SCALE 1-5	BRIDGE TYPE	BRIDGE SIZE
	4806			0.339			0.339	3	CULVERT	4 FT
	4807			0.069			0.069	3		
	4808			0.602			0.602	4		
	4809			0.3	0.433		0.733	2		
	4810			1.711			1.711	3		
	4811		0.074				0.074	1		
2003	4812			0.1	0.527		0.627	1		
2003	4813	Prairie Creek Road	0.183				0.183	3		
2003	4814	Timber Creek Drive	0.303				0.303	3	ST/WD	
2003	4815	Hickory Creek Drive	0.17				0.17	3		
	4816	Turtle Creek	0.283				0.283	3		
	4817	Cedar Creek	0.055				0.055	3		
	4818		0.077	RIDGEWAY			0.077	2		
	4819			0.294	CUMBY		0.294	2		
5/23/2005	4820			0.219			0.219	3		
	4822					0.151	0.151	3		
	4823					0.46	0.46	3		
2022	4824					0.753	0.753			
	TOTAL		135.413	48.027	25.869	6.554	215.863			

Updated 8/28/2023



Approved by Commissioner Joe Price